

**SCISSORS MITER BANDSAW
MODEL NO.: S-6240DM**



MACHINE DESCRIPTION:

The S-230DM-TECNO is a scissor-type miter bandsaw manufactured by JLH SAWS International, a major global producer of metal sawing machinery. It's designed for cutting metal stock (pipe, bar, profiles, etc.) at precise angles, including straight (90°) and angled cuts (commonly up to $\pm 45^\circ$ or $\pm 60^\circ$) using a bandsaw blade

TECHNICAL PARAMETER:

SCISSORS MITER BANDSAW	
Model No.	: S-6240DM
Brand Name	: JLH
Cutting Range 90degree round	: Ø420mm : Ø16.5in
Cutting Range 90 Degree flat (WXH)	: 610X420mm : 24x16.5 in
Cutting range 45 Degree round	: Ø400mm : Ø 15.7 in
Cutting range 45 Degree flat (WXH)	: 400X400mm : 15.7x15.7in
Cutting range 60 Degree round	: Ø280mm : Ø11in
Cutting range 60 Degree round Flat (WXH)	: 280mmx280mm : 11x11 in
Smallest Size to be cut	: 10*10mm
	: 0.4x0.4in
Clamping range	: 0-610mm
	: 0-24in
Shortest length cut of piece	: 20mm
	: 0.8in
Shortest remnant length individual cut	: 50mm
	: 2in
Length	: 1780mm
	: 70.1in
Width incl. chip conveyor	: 3060mm
	: 120.5in
Height	: 1700mm



NAREX INDUSTRIAL MACHINERY L.L.C.

	: 66.9in
Material Support	: 905mm
	: 35.6 in
Total Weight	:1210KG
	: 2667lb
Total Connected Load	: 4kw
	: 5.3 hp
Power of saw motor	: 3Kw
	: 4hp
Hydraulic motor	: 0.75kw
	: 1hp
Cutting speed infinitely variable with	: 20-80m/min
	: 65.6-262.4ft/min
Saw feed Speed	: 1-300mm/min
	: 0.04-11.8in/min
Dimensions of saw blade	: 5200X34X1.1mm
	: 204.7X1.3X0.04in

STANDARD ACCESSORIES:

- CE Standard Safety Protection
- Single valve feed control
- CE Electrical Safety
- LED Working Light
- Inverter
- Blade breakage detector
- Single visa Clamping
- Manual movable Guide arm
- One piece Saw Blade
- Motorized Chip Brush

